

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/18/2020 Supersedes: 03/09/2020

Revision date: 06/09/2020	
---------------------------	--

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Pure-San 75% Isopropyl Alcohol Hand Sanitizer Gel with Emollients
Product code	: EBPURGEL1, EBPURGEL9
1.2. Recommended use and restrict	tions on use
1.3. Supplier	
Enviro-Brands™	
P.O. Box 365	
Ridgefield, CT 06877	
(844) 368-2763	
1.4. Emergency telephone number	
Emergency number	: (800) 255-3924
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	e or mixture
GHS US classification	
Flammable liquids Category 2	H225 Highly flammable liquid and vapor
Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu	
Full text of H statements : see section 16	are j Caregory 3 TISSO may cause drowsmess of dizziness
Tuil text of IT statements . See Section 16	
2.2. GHS Label elements, including	
	precautionary statements
GHS US labeling	
GHS US labeling	· · · · · · · · · · · · · · · · · · ·
GHS US labeling Hazard pictograms (GHS-US)	: : : Danger
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger : H225 - Highly flammable liquid and vapor
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger : H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger : H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger : H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Image is a series of the series o
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Image is a series of the equipment of the equipment is a series of the equipment is a series
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : We have a state of the state of t
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Image is a constraint of the end of the end
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the explosion-proof electrical/ventilating/lighting equipment P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust/mist/spray
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 For the experimental equipment P233 - Keep container tightly closed P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands and forearms thoroughly after handling P271 - Use only outdoors or in a well-ventilated area
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the end of the en
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the end of the en
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the end of the en
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : With the end of the en
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Wear protective gloves/eye protection/face protection P264 - Wash hands and forearms thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If in haled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 : Wear protective gloves/eye protection/face protection P264 - Wash hands and forearms thoroughly after handling P264 - Wash hands and forearms thoroughly after handling P275 - A in a well-ventilated area P260 - Wear protective gloves/eye protection/face protection P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a poison center/doctor/ if you feel unwell
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 For the second second
GHS US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 : Weight of the second secon

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

- 3.1. Substances
- Not applicable
- 3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-propanol (Solvent, Disinfectant)	(CAS-No.) 67-63-0	70-80	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	acute and delayed)
Potential Adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	May cause drowsiness or dizziness.
Symptoms/effects after eye contact	Causes serious eye irritation.
4.3. Immediate medical attention and spec	cial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	ng media
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Specific hazards arising from the cher	mical
Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	May form flammable/explosive vapor-air mixture.
5.3. Special protective equipment and pre-	cautions for fire-fighters
Firefighting instructions	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2.	For emergency responders	
Protective equipment		: Equip cleanup crew with proper protection. Avoid breathing dust/mist/spray.
Emerge	ency procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3.	Methods and material for containme	ent and cleaning up
Method	s for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Handle empty containers with care because residual vapors are flammable.
Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/mist/spray. Use only outdoors or in a well-ventilated area.
Wash hands and forearms thoroughly after handling.
any incompatibilities
Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep in fireproof place. Keep container tightly closed.
Strong bases. Strong acids.
Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Pure-San 75% Isopropyl Alcohol Hand Sanitizer Gel with Emollients			
No additional information available			
2-propanol (67-63-0)	2-propanol (67-63-0)		
USA - ACGIH - Occupational Exposure Limits			
Local name	2-Propanol		
ACGIH TWA (ppm)	200 ppm		
ACGIH STEL (ppm)	400 ppm		
Remark (ACGIH)	Eye & URT irr; CNS impair		
USA - OSHA - Occupational Exposure Limits			
Local name	Isopropyl alcohol		
OSHA PEL (TWA) (mg/m ³)	980 mg/m³		
OSHA PEL (TWA) (ppm)	400 ppm		

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves/eye protection/face protection protective gloves

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c		
Physical state	: Liquid	
Appearance	: Semi-Viscous. Clear liquid.	
Color	: light yellow	
Odor	: Honeysuckle	
Odor threshold	: No data available	
рН	: 7-8	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 180 – 181 °F	
Flash point	: < 60 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Highly flammable liquid and vapor.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 0.8523	
Solubility	: Soluble in water.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Light formable liquid and yonar. May form flar		

Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3.	Possibility of hazardous reactions
Not estab	lished.
10.4.	Conditions to avoid
Direct sur	light. Extremely high or low temperatures. Open flame.
10.5.	Incompatible materials
Strong ac	ids. Strong bases.
10.6.	Hazardous decomposition products
Fume. Ca	rbon monoxide. Carbon dioxide. May release flammable gases.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	5840 mg/kg body weight
ATE US (dermal)	16400 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 7 – 8
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 7 – 8
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity - single exposure	: May cause drowsiness or dizziness.
2-propanol (67-63-0)	
Specific target organ toxicity – single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after eye contact	: Causes serious eye irritation.
SECTION 12: Ecological information	

12.1. Toxicity		
2-propanol (67-63-0)		
LC50 fish 1	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)	
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)	
12.2. Persistence and degradability		
Pure-San 75% Isopropyl Alcohol Hand Sanitizer Gel with Emollients		
Persistence and degradability Not established.		
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD) 1.19 g O ₂ /g substance		
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O₂/g substance	

Safety Data Sheet

cording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
2.3. Bioaccumulative potential	
Pure-San 75% Isopropyl Alcohol Hand Sa	nitizer Gel with Emollients
Bioaccumulative potential	Not established.
2-propanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow	v) 0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2.4. Mobility in soil	
2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Partition coefficient n-octanol/water (Log Koc	c) 0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
2.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ons
3.1. Disposal methods	
roduct/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/regional/national/international regulations.
dditional information	: Handle empty containers with care because residual vapors are flammable.
cology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	n
n accordance with DOT	
ransport document description	: UN1219 Isopropanol (Contains Isopropyl Alcohol), 3, II
IN-No.(DOT)	: UN1219
Proper Shipping Name (DOT)	: Isopropanol
··· - · · ·	Contains Isopropyl Alcohol
lass (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
lazard labels (DOT)	: 3 - Flammable liquid
	ramme Lipit
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OOT Packaging Bulk (49 CFR 173.xxx)	: 242
OOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal

exceed the degree of filling determined by the egree lling must no following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 129
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description	: UN 1219, 3, II
UN-No. (TDG)	: UN 1219
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group	: II - Medium Danger
Explosive Limit and Limited Quantity Index	: Land Transport: Limited Quantity-in packages less than 0.3 gallons (<1.0L)

Transport by sea

Air transport

SECTION 15: Regulatory information
15.1. US Federal regulations
2-propanol (67-63-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313
15.2. International regulations
CANADA No additional information available EU-Regulations No additional information available National regulations No additional information available
15.3. US State regulations
No additional information available
SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	:	06/09/2020
Other information	:	None.

Full text of H-phrases:

H225	Highly flammable liquid and vapor	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
Hazard Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will No react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Personal protection	No special protection required	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product