



# CLOSE UP PLUS XII

## Safety Data Sheet ECCLOS12Q

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/27/2019

Revision date: 05/06/2015

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : CLOSE UP PLUS XII  
Product code : ECCLOS12Q

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Window and All Purpose Cleaner

#### 1.3. Details of the supplier of the safety data sheet

ENVIRO-BRANDS  
P.O. BOX 365  
RIDGEFIELD, CT 06877  
T 844-368-2763

#### 1.4. Emergency telephone number

Emergency number : CHEM TEL 800-255-3924

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

#### 2.2. Label elements

##### GHS-US labelling

Precautionary statements (GHS-US) : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Get medical advice/attention

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Name                | Product identifier | %     | GHS-US classification  |
|---------------------|--------------------|-------|--|
| 2-propanol          | (CAS No) 67-63-0   | 2 - 5 | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319<br>STOT SE 3, H336 |
| 1-butoxy-2-propanol | (CAS No) 5131-66-8 | 1 - 3 | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315                    |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Allow breathing of fresh air. Allow the victim to rest.  
First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.  
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

# CLOSE UP PLUS XII

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Keep away from Heat. - No smoking.  
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight., Heat sources. Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Direct sunlight. Heat sources.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 1-butoxy-2-propanol (5131-66-8)

Not applicable

#### 2-propanol (67-63-0)

|       |                        |                           |
|-------|------------------------|---------------------------|
| ACGIH | ACGIH TWA (ppm)        | 200 ppm                   |
| ACGIH | ACGIH STEL (ppm)       | 400 ppm                   |
| ACGIH | Remark (ACGIH)         | Eye & URT irr; CNS impair |
| OSHA  | OSHA PEL (TWA) (mg/m³) | 980 mg/m³                 |
| OSHA  | OSHA PEL (TWA) (ppm)   | 400 ppm                   |

# CLOSE UP PLUS XII

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Exposure controls

Personal protective equipment : Safety glasses. Gloves. Avoid all unnecessary exposure.



Hand protection : Wear protective gloves.  
Eye protection : Chemical goggles or safety glasses.  
Respiratory protection : Wear appropriate mask.  
Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Blue  
Odour : Pleasant odour  
Odour threshold : No data available  
pH : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Flammability (solid, gas) : No data available  
Explosive limits : No data available  
Explosive properties : No data available  
Oxidising properties : No data available  
Vapour pressure : No data available  
Relative density : No data available  
Relative vapour density at 20 °C : No data available  
Solubility : Water: Solubility in water of component(s) of the mixture :  
• 1-butoxy-2-propanol: 5.2 g/100ml (20 °C) • 2-propanol: Complete  
Log Pow : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Overheating. Heat.

### 10.5. Incompatible materials

Strong acids. Strong bases.

# CLOSE UP PLUS XII

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| 1-butoxy-2-propanol (5131-66-8) |  |
|---------------------------------|--|
| LD50 dermal rat                 | > 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) |
| LC50 inhalation rat (ppm)       | > 651 ppm/4h (Rat; Experimental value)   |

| 2-propanol (67-63-0)       |   |
|----------------------------|---|
| LD50 dermal rabbit         | 12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit) |
| LC50 inhalation rat (mg/l) | 73 mg/l/4h (Rat)  |
| ATE US (dermal)            | 12870.000 mg/kg bodyweight  |
| ATE US (vapours)           | 73.000 mg/l/4h  |
| ATE US (dust,mist)         | 73.000 mg/l/4h  |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

| 2-propanol (67-63-0) |                      |
|----------------------|----------------------|
| IARC group           | 3 - Not classifiable |

Reproductive toxicity : Not classified  
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

| 2-propanol (67-63-0)    |  |
|-------------------------|--|
| LC50 fish 2             | 9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value) |
| EC50 Daphnia 2          | 13299 mg/l (EC50; Other; 48 h; Daphnia magna)  |
| Threshold limit algae 1 | > 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)   |

### 12.2. Persistence and degradability

| CLOSE UP PLUS XII               |   |
|---------------------------------|---|
| Persistence and degradability   | Not established.  |
| 1-butoxy-2-propanol (5131-66-8) |   |
| Persistence and degradability   | Readily biodegradable in water. Not established.  |
| 2-propanol (67-63-0)            |   |
| Persistence and degradability   | Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established. |
| Biochemical oxygen demand (BOD) | 1.19 g O <sub>2</sub> /g substance  |
| Chemical oxygen demand (COD)    | 2.23 g O <sub>2</sub> /g substance  |
| ThOD                            | 2.40 g O <sub>2</sub> /g substance  |

# CLOSE UP PLUS XII

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

| CLOSE UP PLUS XII               |   |
|---------------------------------|---|
| Bioaccumulative potential       | Not established.  |
| 1-butoxy-2-propanol (5131-66-8) |   |
| Log Pow                         | 0.98 (QSAR)   |
| Bioaccumulative potential       | Low potential for bioaccumulation (Log Kow < 4). Not established. |
| 2-propanol (67-63-0)            |   |
| Log Pow                         | 0.05 (Weight of evidence approach; Other; 25 °C)                  |
| Bioaccumulative potential       | Low potential for bioaccumulation (Log Kow < 4). Not established. |

### 12.4. Mobility in soil

| 1-butoxy-2-propanol (5131-66-8) |                           |
|---------------------------------|---------------------------|
| Surface tension                 | 0.0276 N/m (20 °C; 100 %) |
| 2-propanol (67-63-0)            |                           |
| Surface tension                 | 0.021 N/m (25 °C)         |

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

### TDG

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

| CLOSE UP PLUS XII   |                |        |
|---|----------------|--------|
| Not listed on the United States TSCA (Toxic Substances Control Act) inventory   |                |        |
| All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory |                |        |
| Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.   |                |        |
| 2-propanol  | CAS No 67-63-0 | 2 - 5% |

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

# CLOSE UP PLUS XII

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### 2-propanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

## SECTION 16: Other information

Revision date : 05/06/2015

Other information : None.


Full text of H-statements:

|      |                                    |
|------|------------------------------------|
| H225 | Highly flammable liquid and vapour |
| H227 | Combustible liquid                 |
| H315 | Causes skin irritation             |
| H319 | Causes serious eye irritation      |
| H336 | May cause drowsiness or dizziness  |

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

*No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information and recommendations contained herein are presented in good faith. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.*