

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/07/2018 Revision date: 05/11/2015

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Product name	: Enviro-Brands R-50 + Concentr	ated Neutral Clean	ner
Product code	: ECR501, ECR505		
1.2. Recommended use and restri	ctions on use		
Use of the substance/mixture	: Cleaners, liquids (all purpose cleaners, metal cleaners)	eaners, sanitary pro	oducts, floor cleaners, glass cleaners, carpet
1.3. Supplier			
Enviro-Brands™			
P.O. Box 365			
Ridgefield, CT 06877			
(844) 368-2763			
1.4. Emergency telephone numbe	r		
Emergency number	: (800) 255-3924		
SECTION 2: Hazard(s) identifica			
2.1. Classification of the substand	ce or mixture		
GHS US classification			
Not classified			
2.2. GHS Label elements, includin	a precautionary statements		
GHS US labeling	g precadionary statements		
No labeling applicable			
2.3. Other hazards which do not r	coult in clossification		
No additional information available			
	116)		
2.4. Unknown acute toxicity (GHS Not applicable	00/		
SECTION 3: Composition/Infor	mation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
2-propanol	(CAS-No.) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.</li> </ul>
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effect	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and sp	ecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	ning media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the cl	nemical
No additional information available	
5.3. Special protective equipment and p	recautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions	<ul> <li>Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Keep container closed when not in use.</li> </ul>
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/pers	
8.1. Control parameters	
Enviro-Brands R-50 + Concentrated Neutral	Cleaner
No additional information available	
2-propanol (67-63-0)	
USA - ACGIH - Occupational Exposure Limi	
Local name ACGIH TWA (ppm)	2-Propanol 200 ppm
	200 ppm
09/04/2019	EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACGIH STEL (ppm)	400 ppm	
Remark (ACGIH)	Eye & URT irr; CNS impair	
USA - OSHA - Occupational Exposure Limits		
Local name	Isopropyl alcohol	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m³	
OSHA PEL (TWA) (ppm)	400 ppm	

## 8.2. Appropriate engineering controls

No additional information available

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

## Hand protection:

Wear protective gloves/eye protection/face protection protective gloves

## Eye protection:

Chemical goggles or safety glasses

## **Respiratory protection:**

Wear appropriate mask

## Other information:

Do not eat, drink or smoke during use.

<b>SECTION 9: Physical and chemical</b>	oroperties
9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Color	: light blue
Odor	: Pine odour
Odor threshold	: No data available
рН	: 8-9
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 - 220 °F
Flash point	: 200 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: Same as water
Relative density	: 1.02
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions. Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	9S.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
Fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	5840 mg/kg body weight
ATE US (dermal)	16400000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	pH: 8 - 9 : Not classified
Senous eye damage/imation	pH: 8 - 9
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity - single exposure	: Not classified
2-propanol (67-63-0)	
Specific target organ toxicity – single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
SECTION 12: Ecological information	

SECTION	DN 12: Ecological information
12.1.	Toxicity

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)	
LC50 fish 1	9640 - 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)

### 12.2. Persistence and degradability

Enviro-Brands R-50 + Concentrated Neutral Cleaner	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.4 g O <sub>2</sub> /g substance

### 12.3. **Bioaccumulative potential**

Enviro-Brands R-50 + Concentrated Neutral Cleaner	
Bioaccumulative potential	Not established.
2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	

2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Log Koc	0.185 - 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport information		

## SECTION 14: Transport information

## **Department of Transportation (DOT)**

In accordance with DOT

### Not regulated

**Transportation of Dangerous Goods** 

Not regulated

### Transport by sea

Not regulated

Air transport

Not regulated

## **SECTION 15: Regulatory information**

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

## **15.2. International regulations**

## CANADA

**EU-Regulations** 

National regulations No additional information available

15.3. US State regulations

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date Other information		: 05/11/2015 : None.
Full	text of H-phrases:	
	H225	Highly flammable liquid and vapor
	H319	Causes serious eye irritation
	H336	May cause drowsiness or dizziness
Haz	ard Rating	
Health		: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

B - Safety glasses, Gloves

: B

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product